

**BAKERS FORKLIFT SERVICES LTD T/A**  
**BFS FORKS & ATTACHMENTS**  
2 HAINGE ROAD, TIVIDALE, OLDBURY, B69 2NH  
TEL: 0121 557 1935    FAX: 0121 557 4245  
E MAIL: [SALES@BFSLTD.CO.UK](mailto:SALES@BFSLTD.CO.UK)

**MANUTEL G2 TELESCOPIC FORKS**  
**STANDARD EDITION**




The manual telescopic fork with well-trying pin locking.

Advantages:

- Very simple to fit and operate
- Extension length is always within legal maximum length permitted
- Simple locking by a removable locking pin
- Standard Manutel have retracted and extended positions, up to three additional length positions available as optional extras
- Robust construction, suitable for indoor use and occasional outdoor use
- Tried and tested for years in many industries
- Very simple to maintain
- Complete with operating instructions


## Dimensions ManuTel G2® Standard Edition

| Type ManuTel Part No | Lifting capacity at CG | Length (retracted) L 0 | Length (extended) L 1 | Cross-section (outside) | Weight total FEM A/B | Centre of gravity X-Axis retracted FEM A/B | Centre of gravity X-Axis extended FEM A/B | Suspension Type |
|----------------------|------------------------|------------------------|-----------------------|-------------------------|----------------------|--|---|-----------------|
|                      | kg/mm                  | mm                     | mm                    | mm                      | kg                   | mm   | mm  |                 |
| MTGZ16/8/12          | 1600/500               | 800                    | 1200                  | 115x50                  | 45/47                | 263/252                                    | 356/341                                   | FEM 2A/B        |
| MTGZ16/10/16         | 1600/500               | 1000                   | 1600                  | 115x50                  | 53/55                | 353/340                                    | 503/485                                   | FEM 2A/B        |
| MTGZ16/12/18         | 1600/500               | 1200                   | 1800                  | 115x50                  | 62/64                | 448/434                                    | 605/586                                   | FEM 2A/B        |
| MTGZ16/12/20         | 1600/500               | 1200                   | 2000                  | 115x50                  | 62/64                | 446/432                                    | 656/635                                   | FEM 2A/B        |
| MTGZ25/8/12          | 2500/500               | 800                    | 1200                  | 135x55                  | 60/63                | 262/251                                    | 344/330                                   | FEM 2A/B        |
| MTGZ25/10/16         | 2500/500               | 1000                   | 1600                  | 135x55                  | 71/74                | 352/339                                    | 485/467                                   | FEM 2A/B        |
| MTGZ25/12/18         | 2500/500               | 1200                   | 1800                  | 135x55                  | 82/85                | 446/431                                    | 585/566                                   | FEM 2A/B        |
| MTGZ25/12/20         | 2500/500               | 1200                   | 2000                  | 135x55                  | 82/85                | 444/430                                    | 630/610                                   | FEM 2A/B        |
| MTGZ25/14/24         | 2500/500               | 1400                   | 2400                  | 135x55                  | 92/95                | 538/523                                    | 779/757                                   | FEM 2A/B        |
| MTGZ35/8/12          | 3500/500               | 800                    | 1200                  | 140x60                  | 75/80                | 243/228                                    | 314/294                                   | FEM 3A/B        |
| MTGZ35/10/16         | 3500/500               | 1000                   | 1600                  | 140x60                  | 87/92                | 330/311                                    | 444/419                                   | FEM 3A/B        |
| MTGZ35/12/18         | 3500/500               | 1200                   | 1800                  | 140x60                  | 100/105              | 421/400                                    | 542/515                                   | FEM 3A/B        |
| MTGZ35/12/20         | 3500/500               | 1200                   | 2000                  | 140x60                  | 100/105              | 420/398                                    | 581/552                                   | FEM 3A/B        |
| MTGZ35/14/24         | 3500/500               | 1400                   | 2400                  | 140x60                  | 112/117              | 511/488                                    | 722/689                                   | FEM 3A/B        |
| MTGZ50/8/12          | 5000/500               | 800                    | 1200                  | 165 X 65                | 97/104               | 246/231                                    | 310/290                                   | FEM 3A/B        |
| MTGZ50/10/16         | 5000/500               | 1000                   | 1600                  | 165x65                  | 113/120              | 332/314                                    | 436/411                                   | FEM 3A/B        |
| MTGZ50/12/18         | 5000/500               | 1200                   | 1800                  | 165X65                  | 128/136              | 423/401                                    | 532/505                                   | FEM 3A/B        |
| MTGZ50/12/20         | 5000/500               | 1200                   | 2000                  | 165X65                  | 128/136              | 422/400                                    | 569/539                                   | FEM 3A/B        |
| MTGZ50/14/24         | 5000/500               | 1400                   | 2400                  | 165X65                  | 144/151              | 514/490                                    | 705/672                                   | FEM 3A/B        |
| MTGZ50-6/8/12/A      | 5000/600               | 800                    | 1200                  | 165X65                  | 110                  | 220  | 275                                       | FEM4A           |
| MTGZ50-6/10/16       | 5000/600               | 1000                   | 1600                  | 165X65                  | 126                  | 300  | 392                                       | FEM 4A          |
| MTGZ50-6/12/18       | 5000/600               | 1200                   | 1800                  | 165X65                  | 141.5                | 385  | 485                                       | FEM 4A          |
| MTGZ50-6/12/20       | 5000/600               | 1200                   | 2000                  | 165X65                  | 141.5                | 385  | 525                                       | FEM 4A          |
| MTGZ50-6/14/24       | 5000/600               | 1400                   | 2400                  | 165X65                  | 157                  | 472  | 648                                       | FEM 4A          |



NEW FOR 2008!

MANUTEL SLIMLINE EDITION



- Only 40 mm thick
- Easy to fit
- Patented bolt locking
- 

Dimensions ManuTel Slimline

| Type Manutel Part No | Capacity per pair at LC (kg/mm) | Length (retracted) LO (mm) | Length (extended) L1 (mm) | Cross Section Outside (mm) | Weight Total FEM A/B (kg) | Centre of Gravity X-Axis Retracted FEM A/B (mm) | Centre of Gravity X-Axis Extended FEM A/B (mm) | Suspension |
|----------------------|---------------------------------|----------------------------|---------------------------|----------------------------|---------------------------|---|--|------------|
| MTSL 20/08/12        | 2000/500                        | 800                        | 1200                      | 143 x 40                   | 51/54                     | 239/228   | 302/288  | FEM 2A/B   |
| MTSL 20/10/16        | 2000/500                        | 1000                       | 1600                      | 143 x 40                   | 59/62                     | 328/313   | 427/410  | FEM 2A/B   |
| MTSL 20/12/18        | 2000/500                        | 1200                       | 1800                      | 143 x 40                   | 67/70                     | 416/401   | 523/405  | FEM 2A/B   |
| MTSL 18/12/20        | 1800/500                        | 1200                       | 2000                      | 143 x 40                   | 67/70                     | 416/401   | 558/538  | FEM 2A/B   |